

Safety Data Sheet Sulfur Cathode Solution

Version: 1.0 Revision date: 12/07/2015 Supersedes: 03/01/2013

1. PRODUCT AND COMPANY IDENTIFICATION

1.1. Product Identifiers

Substance Name: Sulfur Cathode Solution

CAS No.: NA

Product Code: UIC, Inc. Catalog Number CM300-027

1.2. Intended Use of the Product

Use of the substance/mixture: For laboratory use

Name, Address, and Telephone of the Responsible Party

UIC Inc

1225 Channahon Rd

Joliet, IL 60436

Phone: (815) 744-4477 Fax: (815) 744-1561

Emergency Telephone Number

For Chemical Emergency, Spill, Leak, Fire, Exposure, or Accident, call emergency number: 1-815-474-8753

2. Hazards Identification of the product

2.1. Classification of the substance or mixture

GHS Classification in accordance with 29 CFR 1910 (OSHA HCS)

Corrosive to metals (Category 1), H290 Skin corrosion (Category 1B), H314 Serious eye damage (Category 1), H318

For the full text of the H-Statements mentioned in this Section, see Section 16.

2.2. GHS Label elements, including precautionary statements

Pictogram

Signal word

Danger

Hazard statement(s)

H290 May be corrosive to metals.

H314 Causes severe skin burns and eye damage.

Precautionary statement(s)

P234 Keep only in original container.

P264 Wash skin thoroughly after handling.

P280 Wear protective gloves/ protective clothing/ eye protection/ face protection.

P301 + P330 + P331 IF SWALLOWED: Rinse mouth. Do NOT induce vomiting.

P303 + P361 + P353 IF ON SKIN (or hair): Remove/ Take off immediately all contaminated clothing. Rinse skin with water/ shower.

P304 + P340 IF INHALED: Remove victim to fresh air and keep at rest in a position comfortable for breathing.

P305 + P351 + P338 if in eyes: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.

P310 Immediately call a POISON CENTER or doctor/physician.

P321 Specific treatment (see supplemental first aid instructions on this label).

P363 Wash contaminated clothing before reuse.

P390 Absorb spillage to prevent material damage.

P405 Store locked up.

P406 Store in corrosive resistant stainless steel container with a resistant inner liner.

P501 Dispose of contents/ container to an approved waste disposal plant.

2.3. Hazards not otherwise classified (HNOC) or not covered by GHS - none

3. Composition/information on ingredients

3.1. Substances

Chemical name: Phosphoric Acid

Synonyms: NA Formula: H_3PO_4 Molecular weight: 98 g/mol

Hazardous components

Tidada de						
Component	ponent Classification					
Phosphoric Acid						
CAS-No. 7664-38-2	Met. Corr. 1; Skin Corr. 1B; Eye					
EC-No. 231-633-2	Dam. 1; H290, H314, H318	12.75 %				
Index-No. 015-011-00-6						

For the full text of the H-Statements mentioned in this Section, see Section 16.

4. First Aid Measures

4.1. Description of first aid measures

General advice

Consult a physician. Show this safety data sheet to the doctor in attendance. Move out of dangerous area.

If inhaled

If breathed in, move person into fresh air. If not breathing, give artificial respiration. Consult a physician.

In case of skin contact

Take off contaminated clothing and shoes immediately. Wash off with soap and plenty of water. Consult a physician.

In case of eye contact

Rinse thoroughly with plenty of water for at least 15 minutes and consult a physician. Continue rinsing eyes during transport to hospital.

If swallowed

Do NOT induce vomiting. Never give anything by mouth to an unconscious person. Rinse mouth with water. Consult a physician.

4.2 Most important symptoms and effects, both acute and delayed

The most important known symptoms and effects are described in the labelling (see section 2.2) and/or in section 11

4.3 Indication of any immediate medical attention and special treatment needed

No data available

5. Fire Fighting Measures

5.1. Extinguishing media

Use water spray, alcohol-resistant foam, dry chemical or carbon dioxide.

5.2. Special hazards arising from the substance or mixture

Oxides of Phosphorus

5.3. Advice for firefighters

Wear self-contained breathing apparatus for firefighting if necessary.

5.4. Further information

6. Accidental Release Measures

6.1. Personal precautions, protective equipment and emergency procedures

Wear respiratory protection. Avoid breathing vapours, mist or gas. Ensure adequate ventilation. Evacuate personnel to safe areas.

For personal protection see section 8.

6.2. Environmental precautions

Do not let product enter drains.

6.3. Methods and materials for containment and cleaning up

Soak up with inert absorbent material and dispose of as hazardous waste. Keep in suitable, closed containers for disposal.

6.4. Reference to other sections

For disposal see section 13.

7. Handling and Storage

7.1 Precautions for safe handling

Avoid inhalation of vapour or mist.

For precautions see section 2.2.

7.2 Conditions for safe storage, including any incompatibilities

Keep container tightly closed in a dry and well-ventilated place. Containers which are opened must be carefully resealed and kept upright to prevent leakage.

7.3 Specific end use(s)

Apart from the uses mentioned in section 1.2 no other specific uses are stipulated

8. Exposure Controls and Personal Protection

8.1. Control Parameters

Components with workplace control parameters

Components with workplace control parameters								
Component	CAS-No.	Value	Control	Basis				
			parameters					
Phosphoric Acid	7664-38-2	TWA	1.000000 mg/m ³	USA. ACGIH Threshold Limit Values (TLV)				
	Remarks	Upper Respiratory Tract irritation						
		Eye irritation						
		Skin irritation						
		TWA	1 mg/m ³	USA. ACGIH Threshold Limit Values (TLV)				
		Upper Respiratory Tract irritation						
		Eye irritation						
		Skin irritation						
		STEL 3.000000 mg/m³ USA. ACGIH Threshold Limit Values (TLV)						
		Upper Respiratory Tract irritation						
		Eye irritation						
		Skin irritation						
		STEL 3 mg/m³ USA. ACGIH Threshold Limit Values (T		USA. ACGIH Threshold Limit Values (TLV)				
		Upper Respiratory Tract irritation						
		Eye irritation						
		Skin irritation						
		TWA	1.000000 mg/m ³	USA. Occupational Exposure Limits				
			_	(OSHA) - Table Z-1 Limits for Air				
				Contaminants				
		TWA	1.000000 mg/m ³	USA. NIOSH Recommended Exposure				
				Limits				
		ST	3.000000 mg/m ³	USA. NIOSH Recommended Exposure				
				Limits				

8.2. Exposure Controls

Appropriate engineering controls

Handle in accordance with good industrial hygiene and safety practice. Wash hands before breaks and at the end of workday.

Personal protective equipment

Eye/face protection

Tightly fitting safety goggles or face shield (8-inch minimum). Use equipment for eye protection tested and approved under appropriate government standards such as NIOSH (US) or EN 166(EU).

Skin protection

Handle with gloves. Gloves must be inspected prior to use. Use proper glove removal technique (without touching glove's outer surface) to avoid skin contact with this product. Dispose of contaminated gloves after use in accordance with applicable laws and good laboratory practices. Wash and dry hands.

Full contact

Material: Nature latex/chloroprene Minimum layer thickness: 0.11 mm Break through time: 480 min

Material tested: Lapren® (KCL 706 / Aldrich Z677558, Size M)

Splash contact

Material: Nitrile rubber

Minimum layer thickness: 0.11 mm Break through time: 480 min

Material tested: Dermatril® P (KCL 743 / Aldrich Z677388, Size M)

Data source: KCL GmbH, D-36124 Eichenzell, phone +49 (0)6659 87300, e-mail sales@kcl.de, test method:

EN374

If used in solution, or mixed with other substances, and under conditions which differ from EN 374, contact the supplier of the CE approved gloves. This recommendation is advisory only and must be evaluated by an industrial hygienist and safety officer familiar with the specific situation of anticipated use by our customers. It should not be construed as offering an approval for any specific use scenario.

Body Protection

Complete suit protecting against chemicals. The type of protective equipment must be selected according to the concentration and amount of the dangerous substance at the specific workplace.

Respiratory protection

Where risk assessment shows air-purifying respirators are appropriate use a full-face respirator with multipurpose combination (US) or type ABEK (EN 14387) respirator cartridges as a backup to engineering controls. If the respirator is the sole means of protection, use a full-face supplied air respirator. Use respirators and components tested and approved under appropriate government standards such as NIOSH (US) or CEN (EU).

Control of environmental exposure

Do not let product enter drains.

9. Physical and Chemical Properties

9.1 Information on basic physical and chemical properties

a) Appearance Form: clear liquidb) Color Colorless liquid

c) Odor Odorless

d) Odor Threshold
 e) pH
 f) Melting point/freezing point
 g) Initial boiling point and boiling range
 No data available
 No data available
 No data available

h) i) j)	Flash point Evaporation rate Flammability (solid, gas)	No data available No data available No data available
k)	Upper/lower flammability or explosive limits	No data available
I)	Vapor pressure	No data available
m)	Vapor density	No data available
n)	Relative density	1.685 g/cm3
o)	Water solubility	Complete
p)	Partition coefficient: n-octanol/water	No data available
q)	Auto-ignition temperature	No data available
r)	Decomposition temperature	No data available
s)	Viscosity	No data available
t)	Specific gravity	1.1
u)	Explosive properties	No data available
v)	Oxidizing properties	No data available

9.2 Other safety information

No data available

10. Stability and Reactivity

10.1 Reactivity

No data available

10.2 Chemical stability

Stable under recommended storage conditions.

10.3 Possibility of hazardous reactions

No data available

10.4 Conditions to avoid

No data available

10.5 Incompatible materials

Strong bases, powdered metals

10.6 Hazardous decomposition products

Other decomposition products - No data available In the event of fire: see section 5

11. Toxicological Information

11.1 Information on toxicological effects

Acute toxicity

No data available

Inhalation: No data available Dermal: No data available

No data available

Skin corrosion/irritation

No data available

Serious eye damage/eye irritation

No data available

Respiratory or skin sensitization

No data available

Germ cell mutagenicity

No data available

Carcinogenicity

IARC: No component of this product present at levels greater than or equal to 0.1% is identified as probable, possible or confirmed human carcinogen by IARC.

ACGIH: No component of this product present at levels greater than or equal to 0.1% is identified as a carcinogen or potential carcinogen by ACGIH.

NTP: No component of this product present at levels greater than or equal to 0.1% is identified as a known or anticipated carcinogen by NTP.

OSHA: No component of this product present at levels greater than or equal to 0.1% is identified as a carcinogen or potential carcinogen by OSHA.

Reproductive toxicity

No data available

No data available

Specific target organ toxicity - single exposure

No data available

Specific target organ toxicity - repeated exposure

No data available

Aspiration hazard

No data available

Additional Information

RTECS: Not available

Material is extremely destructive to tissue of the mucous membranes and upper respiratory tract, eyes, and skin., spasm, inflammation and edema of the larynx, spasm, inflammation and edema of the bronchi, pneumonitis, pulmonary edema, burning sensation, Cough, wheezing, laryngitis, Shortness of breath, Headache, Nausea.

Stomach - Irregularities - Based on Human Evidence

Stomach - Irregularities - Based on Human Evidence (Phosphoric acid).

12. Ecological Information

This product has not been studied as a mixture.

12.1 Toxicity

No data available

12.2 Persistence and degradability

No data available

12.3 Bioaccumulative potential

No data available

12.4 Mobility in soil

No data available

12.5 Results of PBT and vPvB assessment

PBT/vPvB assessment not available as chemical safety assessment not required/not conducted

12.6 Other adverse effects

No data available

13. Disposal Considerations

13.1 Waste treatment methods

Product

Offer surplus and non-recyclable solutions to a licensed disposal company. Contact a licensed professional waste disposal service to dispose of this material. Dissolve or mix the material with a combustible solvent and burn in a chemical incinerator equipped with an afterburner and scrubber.

Contaminated packaging

Dispose of as unused product

14. Transport Information

DOT (US)

Not regulated

IMDG

Not regulated

IATA

Not regulated

15. Regulatory Information

SARA 302 Components

No chemicals in this material are subject to the reporting requirements of SARA Title III, Section 302.

SARA 313 Components

This material does not contain any chemical components with known CAS numbers that exceed the threshold (De Minimis) reporting levels established by SARA Title III, Section 313

SARA 311/312 Hazards

Phosphoric Acid

Acute Health Hazard, Chronic Health Hazard

Massachusetts Right to Know Components

CAS-No. Revision Date 7664-38-2 1993-04-24

Pennsylvania Right to Know Components

CAS-No. Revision Date Phosphoric Acid 7664-38-2 1993-04-24

Water 7732-18-5

New Jersey Right to Know Components

CAS-No. Revision Date Phosphoric Acid 7664-38-2 1993-04-24 Water 7732-18-5

California Prop. 65 Components

This product does not contain any chemicals known to State of California to cause cancer, birth defects, or any other reproductive harm.

16. Other Information

Full text of H-Statements referred to under sections 2 and 3.

Eye Dam. Serious eye damage

H290 May be corrosive to metals.

H314 Causes severe skin burns and eye damage.

H318 Causes serious eve damage.

Met. Corr. Corrosive to metals

Skin Corr. Skin corrosion

HMIS Rating Dimethyl sulfoxide

Health hazard: 3 Chronic Health Hazard: * Flammability: 0

Physical Hazard 0

NFPA Rating Dimethyl sulfoxide

Health hazard: 3 Fire Hazard: 0 Reactivity Hazard: 0

Label Hazard Warning:

WARNING! HARMFUL IF SWALLOWED, INHALED OR ABSORBED THROUGH SKIN. CAUSES IRRITATION TO SKIN, EYES AND RESPIRATORY TRACT. COMBUSTIBLE LIQUID AND VAPOR.

Further information

UIC, Inc. has obtained the most current chemical information available to us in updating this Safety Data Sheet. However, users should always use caution when working with chemicals, as UIC, Inc. assumes no liability resulting from its use. Additionally, we make no warranty with respect to any information published on this sheet, either stated or implied.

Version: 1.0 Revision Date: 12/07/2015